

**UNITED STATES DEPARTMENT OF COMMERCE****Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/111,915	07/08/98	BOGGS	D F-5366

BRADFORD R L PRICE  
BAXTER INTERNATIONAL INC  
RT 120 AND WILSON ROAD  
P O BOX 490  
ROUND LAKE IL 60073

IM22/0905

EXAMINER

WARD, R

ART UNIT	PAPER NUMBER
1723	12
DATE MAILED: 09/05/00	

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

**RECEIVED**

SEP 11 2000

ENWAL/PATENT LAW

CASE # F-5366-45.....  
DKT. DATE 9-15-02 SEEN BY ATTY.....  
FINAL DATE 9-15-2002 RESP. SENT.....  
SUBJECT *Advisory Action*

2 - Mail Copy

<b>Advisory Action</b>	Application No. 09/111,915	Applicant(s) Boggs et al
	Examiner Richard W. Ward	Group Art Unit 1723

**THE PERIOD FOR RESPONSE: [check only a) or b])**

- a)  expires 3 months from the mailing date of the final rejection.
- b)  expires either three months from the mailing date of the final rejection, or on the mailing date of this Advisory Action, whichever is later. In no event, however, will the statutory period for the response expire later than six months from the date of the final rejection.

Any extension of time must be obtained by filing a petition under 37 CFR 1.138(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth in b) above.

- Appellant's Brief is due two months from the date of the Notice of Appeal filed on \_\_\_\_\_ (or within any period for response set forth above, whichever is later). See 37 CFR 1.191(d) and 37 CFR 1.192(a).

**Applicant's response to the final rejection, filed on Aug 21, 2000 has been considered with the following effect, but is NOT deemed to place the application in condition for allowance:**

- The proposed amendment(s):

will be entered upon filing of a Notice of Appeal and an Appeal Brief.

- will not be entered because:

- they raise new issues that would require further consideration and/or search. (See note below).
- they raise the issue of new matter. (See note below).
- they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.
- they present additional claims without cancelling a corresponding number of finally rejected claims.

NOTE: New limitations were added (claim 1 "physically"; claim 44 "non-uniformly dispersed across said membrane") which require further consideration, and which appear to raise 35 USC 112 issues (i.e. interpretation of term "physically" is in question, "across" in which direction?)

- Applicant's response has overcome the following rejection(s):

\_\_\_\_\_ would be allowable if submitted in a  
 Newly proposed or amended claims \_\_\_\_\_  
separate, timely filed amendment cancelling the non-allowable claims.

\_\_\_\_\_  
 The affidavit, exhibit or request for reconsideration has been considered but does NOT place the application in condition for allowance because:

\_\_\_\_\_  
 The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.

\_\_\_\_\_  
 For purposes of Appeal, the status of the claims is as follows (see attached written explanation, if any):

Claims allowed: None

Claims objected to: None

Claims rejected: 1-8, 10, 11, 37, and 40-45 (claims 12-36 remain non-elected without traverse)

The proposed drawing correction filed on \_\_\_\_\_  has  has not been approved by the Examiner.

Note the attached Information Disclosure Statement(s), PTO-1449, Paper No(s). \_\_\_\_\_

Other See attached interview summary.

*Walker*  
W. L. WALKER

SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700